

©ISO/IEC

by copy, 102  
by reference, 103  
carries a dependency, 14  
carry  
    subtract\_with\_carry\_engine, 1064  
<cassert>, 455, 510, 824  
cast  
    base class, 113  
    const, 115, 125  
    derived class, 113  
    dynamic, 109, 497  
        construction and, 297  
        destruction and, 297  
    integer to pointer, 114  
    lvalue, 111, 113  
    pointer to integer, 114  
    pointer-to-function, 114  
    pointer-to-member, 113, 114  
    reference, 112, 114  
    reinterpret, 113, 125  
        integer to pointer, 114  
        lvalue, 113  
        pointer to integer, 114  
        pointer-to-function, 114  
        pointer-to-member, 114  
        reference, 114  
    static, 111, 125  
        lvalue, 111  
        reference, 112  
    undefined pointer-to-function, 114  
*cast-expression*, 125, 1398  
casting, 107  
casting away constness, 115  
catch, 420  
cats  
    interfering with canines, 495  
cauchy\_distribution  
    probability density function, 1085  
cbegin  
    unordered associative containers, 862  
<ccomplex>, 1050, 1435  
<cctype>, 767  
cend  
    unordered associative containers, 862  
<cerrno>, 466, 510  
<cfenv>, 1039  
char  
    implementation-defined sign of, 76  
char-like object, 717  
char-like type, 717  
char16\_t, *see* type, char16\_t

Index

Dxxxx

char16\_t character, 29  
char32\_t, *see* type, char32\_t  
char32\_t character, 29  
char\_class\_type  
    regular expression traits, 1277  
character, 444  
    decimal-point, 451  
    multibyte, 3  
    null, 21  
    signed, 76  
    source file, 19  
    underscore, 25  
        in identifier, 25  
character literal, *see* literal, character  
character set, 20–21  
    basic execution, 6, 21  
    basic source, 19, 20  
    execution, 21  
character string, 32  
character string literal, 436  
*character-literal*, 28, 1393  
checking  
    point of error, 371  
    syntax, 371  
chi\_squared\_distribution  
    probability density function, 1084  
<chrono>, 696  
chunks, 633  
<cinttypes>, 1274, 1275  
class, 78, 232–246  
    abstract, 261  
    associated, 51  
    base, 467, 471  
    cast to incomplete, 126  
    constructor and abstract, 262  
    definition, 38  
    derived, 471  
    linkage of, 61  
    linkage specification, 187  
    member function, *see* member function, class  
    pointer to abstract, 262  
    polymorphic, 257  
    scope of enumerator, 172  
    standard-layout, 233  
    trivial, 233  
    trivially copyable, 233  
    union-like, 249  
    unnamed, 156  
    variant member of, 249  
class local, *see* local class  
class name

1482

©ISO/IEC

by copy, 102  
by reference, 103  
carries a dependency, 14  
carry  
    subtract\_with\_carry\_engine, 1064  
<cassert>, 455, 510, 824  
cast  
    base class, 113  
    const, 115, 125  
    derived class, 113  
    dynamic, 109, 497  
        construction and, 297  
        destruction and, 297  
    integer to pointer, 114  
    lvalue, 111, 113  
    pointer to integer, 114  
    pointer-to-function, 114  
    pointer-to-member, 113, 114  
    reference, 112, 114  
    reinterpret, 113, 125  
        integer to pointer, 114  
        lvalue, 113  
        pointer to integer, 114  
        pointer-to-function, 114  
        pointer-to-member, 114  
        reference, 114  
    static, 111, 125  
        lvalue, 111  
        reference, 112  
    undefined pointer-to-function, 114  
*cast-expression*, 125, 1398  
casting, 107  
casting away constness, 115  
catch, 420  
cats  
    interfering with canines, 495  
cauchy\_distribution  
    probability density function, 1085  
cbegin  
    unordered associative containers, 862  
<ccomplex>, 1050, 1435  
<cctype>, 767  
cend  
    unordered associative containers, 862  
<cerrno>, 466, 510  
<cfenv>, 1039  
char  
    implementation-defined sign of, 76  
char-like object, 717  
char-like type, 717  
char16\_t, *see* type, char16\_t

Index

Dxxxx

char16\_t character, 29  
char32\_t, *see* type, char32\_t  
char32\_t character, 29  
char\_class\_type  
    regular expression traits, 1277  
character, 444  
    decimal-point, 451  
    multibyte, 3  
    null, 21  
    signed, 76  
    source file, 19  
    underscore, 25  
        in identifier, 25  
character literal, *see* literal, character  
character set, 20–21  
    basic execution, 6, 21  
    basic source, 19, 20  
    execution, 21  
character string, 32  
character string literal, 436  
*character-literal*, 28, 1393  
checking  
    point of error, 371  
    syntax, 371  
chi\_squared\_distribution  
    probability density function, 1084  
<chrono>, 696  
chunks, 633  
<cinttypes>, 1274, 1275  
class, 78, 232–246  
    abstract, 261  
    associated, 51  
    base, 467, 471  
    cast to incomplete, 126  
    constructor and abstract, 262  
    definition, 38  
    derived, 471  
    linkage of, 61  
    linkage specification, 187  
    local, *see* local class  
    member function, *see* member function, class  
    nested, *see* nested class  
    pointer to abstract, 262  
    polymorphic, 257  
    scope of enumerator, 172  
    standard-layout, 233  
    trivial, 233  
    trivially copyable, 233  
    union-like, 249  
    unnamed, 156  
    variant member of, 249

1482

©ISO/IEC

elaborated, 165, 235, 236  
 point of declaration, 236  
 scope of, 235  
 typedef, 156, 236  
**class nested**, *see* **nested class**  
 class object  
   assignment to, 134  
   member, 238  
   sizeof, 118  
 class object copy, *see* **constructor**, copy  
 class object initialization, *see* **constructor**  
*class-head*, 232, 1406  
*class-head-name*, 232, 1406  
*class-key*, 232, 1407  
*class-name*, 232, 1406  
*class-or-decltype*, 251, 1407  
*class-specifier*, 232, 1406  
*class-virt-specifier*, 232, 1407  
**clear**  
   unordered associative containers, 860  
**<climits>**, 1441  
**<locale>**, 451  
 closure object, 97  
 closure type, 97  
**<cmath>**, 1124, 1135  
 collating element, 1276  
 comma operator, *see* **operator**, comma  
 comment, 21, 23  
   /\* \*/, 23  
   //, 23  
 common initial sequence, 239  
 comparison  
   pointer, 130  
   pointer to function, 130  
   undefined pointer, 128  
 compatible with  
   **shared\_ptr**, 614  
 compilation  
   separate, 19  
 compiler control line, *see* **preprocessing directives**  
 complete object, 7  
 complete object of, 8  
 completely defined, 237  
**<complex>**, 1040, 1041  
**<complex.h>**, 1435  
 component, 444  
 composite pointer type, 92  
*compound-statement*, 141, 1399  
 concatenation  
   macro argument, *see* **##**  
   string, 33

Index

Dxxxx

concurrent forward progress guarantees, 17  
*condition*, 140, 1399  
*conditions*  
   rules for, 140  
**<condition\_variable>**, 1366  
 conditional-expression  
   throw-expression in, 132  
*conditional-expression*, 132, 1399  
 conditionally-supported behavior, *see* **behavior**, conditionally-supported  
*conditionally-supported-directive*, 431, 1410  
 conflict, 13  
 conformance requirements, 4-5, 9  
   class templates, 5  
   classes, 5  
   general, 4-5  
   library, 5  
   method of description, 4  
 consistency  
   linkage, 153  
   linkage specification, 188  
   type declaration, 63  
**const**, 79  
   cast away, 115  
   constructor and, 242, 276  
   destructor and, 242, 284  
   linkage of, 60  
   overloading and, 308  
 const-object  
   undefined change to, 161  
 const-default-constructible, 216  
 const-qualified, 79  
 const-volatile-qualified, 79  
**const\_cast**, *see* **cast**, **const**  
**const\_local\_iterator**, 853  
   unordered associative containers, 853  
 constant, 26, 93  
   enumeration, 170  
   null pointer, 87  
 constant expression, 135  
   permitted result of, 138  
 constant initialization, 64  
 constant initializer, 64  
 constant iterator, 944  
 constant subexpression, 445  
*constant-expression*, 135, 1399  
 constexpr function, 157  
 constexpr if, 142  
 constituent expression, 10  
 construction, 295-298  
   dynamic cast and, 297

1483

©ISO/IEC

**class name**  
   elaborated, 165, 235, 236  
   point of declaration, 236  
   scope of, 235  
   typedef, 156, 236  
 class object  
   assignment to, 134  
   member, 238  
   sizeof, 118  
 class object copy, *see* **constructor**, copy  
 class object initialization, *see* **constructor**  
*class-head*, 232, 1406  
*class-head-name*, 232, 1406  
*class-key*, 232, 1407  
*class-name*, 232, 1406  
*class-or-decltype*, 251, 1407  
*class-specifier*, 232, 1406  
*class-virt-specifier*, 232, 1407  
**clear**  
   unordered associative containers, 860  
**<climits>**, 1441  
**<locale>**, 451  
 closure object, 97  
 closure type, 97  
**<cmath>**, 1124, 1135  
 collating element, 1276  
 comma operator, *see* **operator**, comma  
 comment, 21, 23  
   /\* \*/, 23  
   //, 23  
 common initial sequence, 239  
 comparison  
   pointer, 130  
   pointer to function, 130  
   undefined pointer, 128  
 compatible with  
   **shared\_ptr**, 614  
 compilation  
   separate, 19  
 compiler control line, *see* **preprocessing directives**  
 complete object, 7  
 complete object of, 8  
 completely defined, 237  
**<complex>**, 1040, 1041  
**<complex.h>**, 1435  
 component, 444  
 composite pointer type, 92  
*compound-statement*, 141, 1399  
 concatenation  
   macro argument, *see* **##**  
   string, 33

Index

Dxxxx

concurrent forward progress guarantees, 17  
*condition*, 140, 1399  
*conditions*  
   rules for, 140  
**<condition\_variable>**, 1366  
 conditional-expression  
   throw-expression in, 132  
*conditional-expression*, 132, 1399  
 conditionally-supported behavior, *see* **behavior**, conditionally-supported  
*conditionally-supported-directive*, 431, 1410  
 conflict, 13  
 conformance requirements, 4-5, 9  
   class templates, 5  
   classes, 5  
   general, 4-5  
   library, 5  
   method of description, 4  
 consistency  
   linkage, 153  
   linkage specification, 188  
   type declaration, 63  
**const**, 79  
   cast away, 115  
   constructor and, 242, 276  
   destructor and, 242, 284  
   linkage of, 60  
   overloading and, 308  
 const-object  
   undefined change to, 161  
 const-default-constructible, 216  
 const-qualified, 79  
 const-volatile-qualified, 79  
**const\_cast**, *see* **cast**, **const**  
**const\_local\_iterator**, 853  
   unordered associative containers, 853  
 constant, 26, 93  
   enumeration, 170  
   null pointer, 87  
 constant expression, 135  
   permitted result of, 138  
 constant initialization, 64  
 constant initializer, 64  
 constant iterator, 944  
 constant subexpression, 445  
*constant-expression*, 135, 1399  
 constexpr function, 157  
 constexpr if, 142  
 constituent expression, 10  
 construction, 295-298  
   dynamic cast and, 297

1483

©ISO/IEC

line splicing, 19  
**linear\_congruential\_engine**  
 generation algorithm, 1062  
 modulus, 1062  
 state, 1062  
 textual representation, 1062  
 transition algorithm, 1062  
linkage, 36, 60–63  
**const** and, 60  
 external, 60, 455, 466  
 implementation-defined object, 189  
**inline** and, 60  
 internal, 60  
 no, 60, 62  
**static** and, 60  
linkage specification, *see* specification, linkage  
*linkage-specification*, 186, 187, 1403  
<list>, 865  
literal, 26–35, 93  
 base of integer, 27  
 binary, 27  
 boolean, 33  
**char16\_t**, 29  
**char32\_t**, 29  
 character, 28, 29  
   **char16\_t**, 29  
   **char32\_t**, 29  
   ordinary, 29  
   UTF-8, 29  
   wide, 29  
 constant, 26  
 decimal, 27  
 decimal floating, 31  
**double**, 31  
**float**, 31  
 floating, 30, 31  
 hexadecimal, 27  
 hexadecimal floating, 31  
**char**, 29  
 integer, 26, 27  
**long**, 27  
**long double**, 31  
 multicharacter, 29  
   implementation-defined value of, 29  
 narrow-character, 29  
 octal, 27  
 pointer, 34  
 string, 31, 32  
   **char16\_t**, 32  
   **char32\_t**, 32  
   narrow, 32

Index

Dxxxx

raw, 21, 32  
 type of, 32  
 undefined change to, 33  
 UTF-8, 32  
 wide, 32  
 type of character, 29  
 type of floating-point, 31  
 type of integer, 27  
**unsigned**, 27  
 user-defined, 34  
*literal*, 26, 1392  
 literal type, 75  
*literal-operator-id*, 334, 1408  
 living dead  
   name of, 466  
**load\_factor**  
 unordered associative containers, 862  
 local **class**  
   friend, 271  
   member function in, 240  
   scope of, 249  
 local lambda expression, 100  
 local scope, *see* block scope  
 local variable, 43  
   destruction of, 146, 148  
**local\_iterator**, 852  
 unordered associative containers, 852  
 locale, 1276, 1277, 1279, 1286  
 <locale>, 772, 774  
 locale-specific behavior, *see* behavior, locale-specific  
 <locale.h>, 824  
 lock-free execution, 16  
*logical-and-expression*, 131, 1399  
*logical-or-expression*, 131, 1399  
**lognormal\_distribution**  
 probability density function, 1084  
**long**  
   **typedef** and, 152  
*long-long-suffix*, 27, 1393  
*long-suffix*, 27, 1393  
 lookup  
   argument-dependent, 51  
   class member, 54, 59  
   elaborated type specifier, 58–59  
   member name, 254  
   name, 36, 47–60  
   namespace aliases and, 60  
   namespace member, 55  
   qualified name, 53–58  
   template name, 370

1494

©ISO/IEC

line splicing, 19  
**linear\_congruential\_engine**  
 generation algorithm, 1062  
 modulus, 1062  
 state, 1062  
 textual representation, 1062  
 transition algorithm, 1062  
linkage, 36, 60–63  
**const** and, 60  
 external, 60, 455, 466  
 implementation-defined object, 189  
**inline** and, 60  
 internal, 60  
 no, 60, 62  
**static** and, 60  
linkage specification, *see* specification, linkage  
*linkage-specification*, 186, 187, 1403  
<list>, 865  
literal, 26–35, 93  
 base of integer, 27  
 binary, 27  
 boolean, 33  
**char16\_t**, 29  
**char32\_t**, 29  
 character, 28, 29  
   **char16\_t**, 29  
   **char32\_t**, 29  
   ordinary, 29  
   UTF-8, 29  
   wide, 29  
 constant, 26  
 decimal, 27  
 decimal floating, 31  
**double**, 31  
**float**, 31  
 floating, 30, 31  
 hexadecimal, 27  
 hexadecimal floating, 31  
**char**, 29  
 integer, 26, 27  
**long**, 27  
**long double**, 31  
 multicharacter, 29  
   implementation-defined value of, 29  
 narrow-character, 29  
 octal, 27  
 pointer, 34  
 string, 31, 32  
   **char16\_t**, 32  
   **char32\_t**, 32  
   narrow, 32

Index

Dxxxx

raw, 21, 32  
 type of, 32  
 undefined change to, 33  
 UTF-8, 32  
 wide, 32  
 type of character, 29  
 type of floating-point, 31  
 type of integer, 27  
**unsigned**, 27  
 user-defined, 34  
*literal*, 26, 1392  
 literal type, 75  
*literal-operator-id*, 334, 1408  
 living dead  
   name of, 466  
**load\_factor**  
 unordered associative containers, 862  
 local **class**, 249  
   friend, 271  
   member function in, 240  
   scope of, 249  
 local lambda expression, 100  
 local scope, *see* block scope  
 local variable, 43  
   destruction of, 146, 148  
**local\_iterator**, 852  
 unordered associative containers, 852  
 locale, 1276, 1277, 1279, 1286  
 <locale>, 772, 774  
 locale-specific behavior, *see* behavior, locale-specific  
 <locale.h>, 824  
 lock-free execution, 16  
*logical-and-expression*, 131, 1399  
*logical-or-expression*, 131, 1399  
**lognormal\_distribution**  
 probability density function, 1084  
**long**  
   **typedef** and, 152  
*long-long-suffix*, 27, 1393  
*long-suffix*, 27, 1393  
 lookup  
   argument-dependent, 51  
   class member, 54, 59  
   elaborated type specifier, 58–59  
   member name, 254  
   name, 36, 47–60  
   namespace aliases and, 60  
   namespace member, 55  
   qualified name, 53–58  
   template name, 370

1494

random number distribution requirement, 1057  
 uniform random bit generator requirement, 1052  
 modifiable, 81  
 modification order, 13  
 more specialized, 363, 409  
   class template, 363  
   function template, 409  
 most derived class, 8  
 most derived object, 8  
   bit-field, 8  
   zero size subobject, 8  
 move  
   class object, *see* constructor, move; assignment, move  
**MoveInsertable** into X, 831  
 multi-pass guarantee, 948  
 multibyte character, *see* character, multibyte  
 multicharacter literal, *see* literal, multicharacter  
**multiline**, 1286  
 multiple inheritance, 251, 252  
   virtual and, 260  
 multiple threads, *see* threads, multiple  
*multiplicative-expression*, 127, 1398  
**mutable**, 152  
 mutable iterator, 944  
**<mutex>**, 1346  
 mutex types, 1347  
  
 $n_n$  (spherical Neumann functions), 1141  
 $N_\nu$  (Neumann functions), 1138  
 name, 24, 36, 94  
   address of cv-qualified, 116  
   dependent, 376, 383  
   elaborated  
     enum, 165  
   global, 45  
   length of, 24  
   macro, *see* macro, name  
   point of declaration, 42  
   predefined macro, *see* macro, predefined  
   qualified, 53  
   reserved, 466  
   same, 36  
   scope of, 41  
   unqualified, 47  
   zombie, 466  
*name*, 1234  
 name class, *see* class name  
 name hiding, 42, 47, 95, 147  
   class definition, 235

random number distribution requirement, 1057  
 uniform random bit generator requirement, 1052  
 modifiable, 81  
 modification order, 13  
 more specialized, 363, 409  
   class template, 363  
   function template, 409  
 most derived class, 8  
 most derived object, 8  
   bit-field, 8  
   zero size subobject, 8  
 move  
   class object, *see* constructor, move; assignment, move  
**MoveInsertable** into X, 831  
 multi-pass guarantee, 948  
 multibyte character, *see* character, multibyte  
 multicharacter literal, *see* literal, multicharacter  
**multiline**, 1286  
 multiple inheritance, 251, 252  
   virtual and, 260  
 multiple threads, *see* threads, multiple  
*multiplicative-expression*, 127, 1398  
**mutable**, 152  
 mutable iterator, 944  
**<mutex>**, 1346  
 mutex types, 1347  
  
 $n_n$  (spherical Neumann functions), 1141  
 $N_\nu$  (Neumann functions), 1138  
 name, 24, 36, 94  
   address of cv-qualified, 116  
   dependent, 376, 383  
   elaborated  
     enum, 165  
   global, 45  
   length of, 24  
   macro, *see* macro, name  
   point of declaration, 42  
   predefined macro, *see* macro, predefined  
   qualified, 53  
   reserved, 466  
   same, 36  
   scope of, 41  
   unqualified, 47  
   zombie, 466  
*name*, 1234  
 name class, *see* class name  
 name hiding, 42, 47, 95, 147  
   class definition, 235